

ДЗ «Дніпропетровська медична академія МОЗ України» Запорізький державний медичний університет



АСОЦІАЦІЯ СТОМАТОЛОГІВ ДНІПРОПЕТРОВСЬКОЇ ОБЛАСТІ АСОЦІАЦІЯ СТОМАТОЛОГІВ ЗАПОРІЗЬКОЇ ОБЛАСТІ

П`ята (V) Міжнародна науково-практична конференція «Стоматологія Придніпров'я»

19 квітня 2019

Дніпро-Запоріжжя

ДЕРЖАВНИЙ ЗАКЛАД «ДНІПРОПЕТРОВСЬКА МЕДИЧНА АКАДЕМІЯ МОЗ УКРАЇНИ» ЗАПОРІЗЬКИЙ ДЕРЖАВНИЙ МЕДИЧНИЙ УНІВЕРСИТЕТ

Присвячено 80-ти річчю заслуженого діяча науки і техніки України, д. мед.н. проф. Ігоря Сергійовича Мащенка.

ДЗ «Дніпропетровська медична академія МОЗ України»

П`ята (V) МІЖНАРОДНА НАУКОВО-ПРАКТИЧНА КОНФЕРЕНЦІЯ «СТОМАТОЛОГІЯ ПРИДНІПРОВ'Я»

Збірник наукових праць

Дніпро

Запоріжжя

2019

Редакційна колегія: проф. А.В.Самойленко (відп. ред.), проф А.А. Гудар'ян, проф. О.А. Глазунов, проф. І.В. Ковач, проф. О.А. Фастовець, проф. Н.Г. Баранник, д.мед.н. доц. О.В. Возний, доц.Н.Г. Ідашкіна, ас. Матвєєнко Л.М.

П'ята (V) Міжнародна науково-практична конференція «Стоматологія Придніпров'я»: зб.наук.пр. /Редкол.: А.В. Самойленко (відп. ред.) та ін.; ДЗ «Дніпропетровська мед. академія МОЗ України». — Дніпро; ДЗ «ДМА МОЗУ», 2019. —с.190

У збірнику наукових праць наведені матеріали Першої (V) Міжнародної науково-практичної конференції «Стоматологія Придніпров'я», яка відбулась 19 квітня 2019 року. Представлені роботи присвячені питанням профілактики, діагностики та лікування основних стоматологічних захворювань еспериментальних, теоретичних, відображенням клінічних та науковометодичних питань сучасної стоматології.

Наукові дослідження були виконані на кафедрах стоматологічного профілю та суміжних дисциплін медичних ВНЗ, а також в закладах практичної охорони здоров'я.

УДК 616.31

fifth, and sixtieth minutes after stimulation of salivation by the method proposed by the author (Patent No. 2019169) were examined using the D-forsez method. The analysis showed that in both groups of children the number of fractions of saliva proteins ranged from 9 to 10. However, after stimulation of salivation, there was a significant change in the concentrations of protein fractions, different in groups. The author's attention was attracted by fractions designated 4-5, which tended to increase during the entire period of stimulation of salivation in the group of children with intact teeth, whereas in the parallel group the proteins of saliva sharply decreased by the 30th minute and reached the initial level only at the 60th minute. It is assumed that fraction No. 5 is formed by proline-containing proteins involved in the protection and mineralization of tooth enamel.

Котелевський Р.А.

MODERN COMPUTER AND NETWORK TECHNOLOGIES IN THE STUDY OF PROSTHETIC DENTISTRY FOREIGN STUDENTS.

ДЗ «Дніпропетровська медична академія МОЗ України» кафедра ортопедичної стоматології

Modern lifeis unimaginable withoutcomputers andthe Internet. Advances in information technology (IT) have changed our life-style. Using a computerand the Internetis a part ofthe daily activities of the student. One of the great advantages of online teaching is allowing students to focus more on managing their own learning and to work at their own time and pace; it also allows the use of sound, videos, and animation to communicate information.

We conductedsome researchwhose aim was to: find out howmodern studentspossessthe abilities of computertechnology and the Internet. Based on the datato developguidelinesfor improving the effectiveness of teaching prosthetic dentistry for English-speaking students. All this is of particular importance in the transition to the Bologna system of education, in which great attention is paid to self-study.

Before starting the study assessed the validity of each question a pilot study on five students selected from each group. The study was conducted between February and June 2014 and students who were absent during the survey were excluded from the study. The population study consisted of 86 students who were present during the study. Prior to administration of the questionnaire was addressed to the class about the purpose and process of data collection. Then pre-tested close ended questions were distributed to students during class to fill out the questionnaire. Questionnaire consisting of multiple choice questions has been prepared on how students choose to access dental items, the reasons for the use of the Internet, where they have access to the Internet, the frequency of Internet use and how often they can find dental subjects in English-speaking sites. Five questions relate to the use of the computer and 10 questions related to the use of the Internet. The collected data were tabulated and its percentage was obtained.

This study reflects the knowledge and attitude of undergraduate dental students about internet and computer based learning. Computer knowledge was good among dental students but its dental application was limited compared with general purpose. Hence computer application for dental education should be encouraged. The results of this study indicate that dental students at the Dnepropetrovsk Medical Academy had access to substantial IT resources and demonstrated attitudes toward the computer and the Internet and reported levels of use that were similar to other students in other nations. This comes as no surprise in the age of globalization where knowledge knows no boundaries. However, the educational use of IT among dental students remains low. This finding suggests that this dental school is similar to other schools that have not made substantial effort to capitalize on IT resources and capabilities to enrich the curriculum. It is our opinion that dental schools should make greater effort to utilize the advantages of this technology so that the quality of oral health education can be improved. Efforts should be made to invest in problem-solving and evidencebased dentistry and to incorporate methods of information retrieval and management into the curriculum.

Maslova I.

GLYCOCONJUGATES DISTRIBUTION IN THE RAT'S MAJOR SALIVARY GLANDS STRUCTURES AFTER INTRAUTERINE ANTIGENIC ACTION AS A BASIS OF PATHOLOGICAL CONDITIONS

Department of Propaedeutical and Surgical Dentistry Zaporizhzhya State Medical University Zaporizhzhya, Ukraine

Purpose – to determine glycoconjugates distribution features in the rat's major salivary glands structures after antenatal antigen action.

The object of the research was 224 salivary glands of white laboratory rats. The rats divided into three groups. The 1st group is intact rats. The 2^d group is rats, which were introduced 0,05 ml solution of antigen in the amniotic fluid on the 18th day of pregnancy by the method of N. Voloshyn (2011), the 3d group is control, the animals were introduced intrauterine 0,05 ml of 0,9% sodium chloride solution on the 18th day of pregnancy. The animals' killing and taking of the material was done at the 1st, 5th, 7th, 11th, 14th, 30th, 45th day of postnatal life. The carbonhydrate residues determination of Gal used the standard lectin panel PNA, GalNAc – SBA, GlcNAc – WGA, L-Fuc – PFA.

Glycoconjugates structure that expressed on the acinar cell's surface dynamically changed during whole observation period. Was detected the most affinity to researched lectins show the major salivary glands' parenchymal structures. In animals group after intrauterine antigen action determined premature emergence of receptors significant quantity to PNA, SBA, LCA, WGA on the parenchymal cell's surface. The receptors increasing density to corresponding lectins showed from newborn period to 7th day of postnatal life. The carbonhydrate – containing synthetic