

SCI-CONF.COM.UA

EUROPEAN CONGRESS OF SCIENTIFIC ACHIEVEMENTS



**PROCEEDINGS OF VI INTERNATIONAL
SCIENTIFIC AND PRACTICAL CONFERENCE
JUNE 17-19, 2024**

**BARCELONA
2024**

EUROPEAN CONGRESS OF SCIENTIFIC ACHIEVEMENTS

Proceedings of VI International Scientific and Practical Conference

Barcelona, Spain

17-19 June 2024

Barcelona, Spain

2024

UDC 001.1

The 6th International scientific and practical conference “European congress of scientific achievements” (June 17-19, 2024) Barca Academy Publishing, Barcelona, Spain. 2024. 423 p.

ISBN 978-84-15927-35-8

The recommended citation for this publication is:

Ivanov I. Analysis of the phaunistic composition of Ukraine // European congress of scientific achievements. Proceedings of the 6th International scientific and practical conference. Barca Academy Publishing. Barcelona, Spain. 2024. Pp. 21-27. URL: <https://sci-conf.com.ua/vi-mizhnarodna-naukovo-praktichna-konferentsiya-european-congress-of-scientific-achievements-17-19-06-2024-barselona-ispaniya-arhiv/>.

Editor

Komarytskyy M.L.

Ph.D. in Economics, Associate Professor

Collection of scientific articles published is the scientific and practical publication, which contains scientific articles of students, graduate students, Candidates and Doctors of Sciences, research workers and practitioners from Europe, Ukraine and from neighbouring countries and beyond. The articles contain the study, reflecting the processes and changes in the structure of modern science. The collection of scientific articles is for students, postgraduate students, doctoral candidates, teachers, researchers, practitioners and people interested in the trends of modern science development.

e-mail: barca@sci-conf.com.ua

homepage: <https://sci-conf.com.ua>

©2024 Scientific Publishing Center “Sci-conf.com.ua” ®

©2024 Barca Academy Publishing ®

©2024 Authors of the articles

TABLE OF CONTENTS

AGRICULTURAL SCIENCES

1. *Liubchenko I. O., Liubchenko A. I.* 12
OBTAINING AND RETESTING OF COMMON CHICORY
REGENERANT PLANTS DURING CELL BREEDING FOR
RESISTANCE TO Ba²⁺ IONS
2. *Мищенко С. О., Тимчук В. М., Салінко Г. О.* 17
ОГЛЯД СУЧАСНИХ ТЕХНОЛОГІЙ АВТОМАТИЗОВАНОЇ
ПРОПОЛКИ БУР'ЯНІВ ПРИ ВИРОЩУВАННІ ВАЛЕРІАНИ
ЛІКАРСЬКОЇ
3. *Сидорова І. М.* 22
ЯКІСТЬ ГОЛОВОЧОК СОРТІВ КАПУСТИ БРЮССЕЛЬСЬКОЇ
ЗАЛЕЖНО ВІД СОРТОВИХ ОСОБЛИВОСТЕЙ

VETERINARY SCIENCES

4. *Самойленко О. С.* 26
ВПЛИВ ПАСИВНОГО ТЕМПУ ЖИТТЯ НА ОРГАНІЗМ
ДОМАШНЬОЇ ТВАРИНИ

BIOLOGICAL SCIENCES

5. *Onufriiev O., Sirenko A.* 30
CENTROMERE AND PROBLEMS OF DIAGNOSIS OF
ONCOLOGICAL DISEASES
6. *Valiyeva G. A., Huseynova L. S.* 38
PHENYLKETONURIA WITH DEFICIENCY OF G6PD ENZYME IN
SAME FAMILY

MEDICAL SCIENCES

7. *Nizhnichenko O. S.* 44
ТИПОВІ ПОРУШЕННЯ ОБМІНУ РЕЧОВИН. ГОЛОДУВАННЯ
8. *Suleymanova Tarana Hafis* 49
STUDY OF THE ANTIMICROBIAL PROPERTIES OF THE
EXTRACTS PREPARED FROM THE FLOWERS OF CALENDULA
CULTIVATED IN AZERBAIJAN
9. *Tkachenko S. S., Rodynskyi O. G.* 51
CHANGES IN THE RECRUITMENT OF SKELETAL
NEUROMOTOR UNITS UNDER THE CONDITIONS OF
ANDROGEN DEFICIENCY
10. *Yatsyshyn R., Cherniuk N., Herych P., Valovina N., Shevchuk R.* 55
SMOKING AS A RISK FACTOR FOR THE DEVELOPMENT OF
ACUTE AND CHRONIC DISEASES OF THE RESPIRATORY
SYSTEM
11. *Ахмедова К. М., Мамедов Азер Гейдар огли, Молодан Д. В.* 57
СИНДРОМ ГУДПАСЧЕРА: ЩО ПОТРІБНО ЗНАТИ?

CHANGES IN THE RECRUITMENT OF SKELETAL NEUROMOTOR UNITS UNDER THE CONDITIONS OF ANDROGEN DEFICIENCY

Tkachenko Serhiy Serhiyovych

PhD, associate professor

Rodynskyi Oleksandr Georgiyovych

doctor of medicine, professor, head of Physiology Department

Dnipro State Medical University

Dnipro, Ukraine


Introductions. Testosterone deficiency, which occurs acutely as a result of trauma or surgical castration as the part of some oncological diseases treatment, can lead to various forms of nerve degeneration, including their morphological changes. A genetically determined defect of androgen receptors causes spinal muscular atrophy, manifested by neuromuscular dysfunction and proximal muscle weakness. It is known about the neuroprotective effect of testosterone in spinal injuries. However, there are almost no studies, especially electrophysiological ones, characterizing the modification of the bioelectric activity of the somatic reflex arc links in the remote periods of the post-castration syndrome.

Aim. The aim was to investigate the effect of a long-term lack of androgens in the post-castration period on the dynamics of the calf muscle neuromotor units excitation.

Materials and methods. Hypoandrogenemia was modeled by bilateral orchiectomy on male Wistar rats aged 5-6 months and weighing 180-260 g. Motor neuron activity was studied by stimulating the isolated dorsal root, deriving the evoked action potential from the isolated ventral root of the spinal cord. When examining the ventral root, evoked responses were diverted from the sciatic nerve, irritating the fibers of the ventral root isolated from the spinal cord. In order to study the dynamics of the recruitment for reflex arc links, stimulation with rectangular pulses of increasing intensity from the threshold (Th) value to twice its value with a step of 1/10 and a duration of 300 μ s was used [1].

Results and discussion. In the study of monosynaptic discharges of the ventral

root in the animals of the experimental group, an increase in the threshold value of the stimulus by $35.29 \pm 8.7\%$ ($p < 0.01$, $n = 10$) was observed in relation to the same indicator of the intact group. Chronoxia in androgen-deficient rats decreased by $6.2 \pm 2.66\%$ ($p < 0.05$, $n = 10$). Irritation of the dorsal root fibers with pulses of increasing intensity revealed a faster increase in the integral response amplitude of motoneurons in animals with experimental hypoandrogenemia in the range from 1.1 Th to 1.6 Th, especially up to 1.3Th inclusive. Thus, at the intensity of irritation 1.1 Th the difference was $117.8 \pm 18.72\%$, 1.2 Th – $72.2 \pm 10.97\%$, 1.3ThP – $46.6 \pm 6.52\%$ ($n = 10$, $p < 0.001$) (Fig. 1).




1 – control group; 2 - experimental group.

Fig. 1. Dynamics of changes in the amplitude of monosynaptic discharges of the ventral root of the spinal cord in response to stimulation of increasing intensity

As for the excitability parameters of the ventral root fibers, the threshold was $664.29 \pm 0.75\%$, and the chronaxia was $71.90 \pm 1.94\%$ compared to the control group indicators. The study of the recruitment of nerve fibers also showed a faster increase in the amplitude of the evoked total action potential in the animals of the experimental group, especially when stimulated with a force 1.1 – 1.6 Th (Fig. 2). A significant difference that was recorded when using stimuli from 1.1 to 1.5 Th may indicate a relative increase in the excitability of high- and medium-threshold fibers in the composition of the ventral root. These deviations can be caused by a change in the ultrastructure of the neurites of the anterior horn motoneurons of the spinal cord [2, 3], which actually form this ventral root, as well as by demyelinating processes

that could lead to ephaptic propagation of excitation within this root [3, 4].




1 – control group; 2 - experimental group.

Fig. 2. Recruitment of fibers of the ventral root of the spinal cord in response to stimulation of increasing intensity

Probability level * – $p < 0.05$, *** – $p < 0.001$ in relation to the corresponding values of the control group

The value of the calf muscle excitation threshold during indirect stimulation was equal to 0.053 ± 0.0125 mA ($n=10$), in animals with experimental hypoandrogenemia it increased significantly ($p < 0.001$) to 433.96% (0.23 ± 0.02 ; $n=14$). The chronaxia has not undergone any significant changes. During the analysis of changes in the amplitude of evoked action potentials, taken from the calf muscle, no significant influence of androgen deficiency was detected, although a tendency to decrease the excitability of high-threshold muscle fibers and a decrease in the excitation threshold for medium-threshold muscle fibers was observed (Fig. 3) [5].



1 – control group; 2 - experimental group.

Fig. 3. Recruitment of motor units of the calf muscle under conditions of stimulation of the sciatic nerve with stimuli of increasing intensity

Conclusions. Long-term androgen deficiency in the case of its sudden onset in the reproductive age is able to modify the process of recruitment of neuromotor units, relatively increasing the excitability of medium-threshold motoneurons and their axons, that leads to the early activation of a larger number of neuromotor units against the background of a general absolute decrease in the excitability of nerve structures of the segmental somatic reflex arc. The above can explain the development of muscle weakness and convulsions in the long term of post-castration syndrome. This pathological condition has a greater effect on the bioelectrical activity of the central link of the reflex arc, while the dynamics of the excitation of multithreshold muscle fibers under indirect irritation did not undergo significant changes.

REFERENCES:

1. Родинський О. Г., Ткаченко С. С., Гузь Л. В. Моносинаптичні відповіді вентральних корінців спинного мозку в умовах експериментальної менопаузи. *Клінічна та експериментальна патологія*. 2015. Т. 54, № 4. С. 128–132.
2. Fargo K. N., Galbiati M., Foecking E. M. Androgen regulation of axon growth and neurite extension in motoneurons. *Hormones and behavior*. 2008 May. Vol. 53, No. 5. P. 716–728. DOI: 10.1016/j.yhbeh.2008.01.014.
3. Pesaresi M., Soon-Shiong R., French L. Axon diameter and axonal transport: In vivo and in vitro effects of androgens. *Neuroimage*. 2015 July 15. Vol. 115. P. 191–201. DOI: 10.1016/j.neuroimage.2015.04.048
4. Hussain R., Ghomari A. M., Bielecki B. The neural androgen receptor: a therapeutic target for myelin repair in chronic demyelination. *Brain a journal of neurology*. 2013. Vol. 136, No. 1. P. 132–146. DOI: 10.1093/brain/aws284.
5. Rodinsky O., Tkachenko S., Marazha I., Deforzh G. The effect of testosterone deficiency on the bioelectrical activity of the efferent link of the somatic reflex arc. *Danish Scientific Journal*. 2020. Vol. 35, No. 2. P. 49-53.