

DOI <https://doi.org/10.30525/978-9934-588-81-5-1.32>

PECULIARITIES OF PARENTAL ATTITUDE TO CHILDREN OF PRIMARY SCHOOL AGE WITH RECURRENT RESPIRATORY INFECTIONS

Kramarchuk V. V.

*Assistant at the Department of Family Medicine
of the Faculty of Postgraduate Education
State Institution "Dnipropetrovsk Medical Academy
of the Ministry of Health of Ukraine"
Dnipro, Ukraine*

Introduction. Respiratory diseases have long held the first place in the structure of morbidity of the population, especially children. The vast majority (about 70%) of visits to the primary care physician are young children with a recurrent course of acute respiratory infections (ARI) [3, 4]. On the one hand, they contribute to the development of immunity, and on the other hand, they cause increased anxiety of parents, frequent visits to the doctor, excessive use of antibiotics and poor socialization due to reduced attendance at preschools and schools [2]. Over time, there is a change in the model of the «mother-child» relationship, which can play an important role in increasing the frequency and severity of ARI [1].

Materials and methods. We examined 40 children aged 6 to 10 years with recurrent ARI (main group) and 30 healthy children of the same age (control group). We conducted a follow-up examination, general clinical examinations (blood and urine tests), psychological testing using the method of diagnosing the parental relationship Varga-Stolin and determining parental anxiety using the Spielberger-Khanin questionnaire.

Results and discussion. The results of the comparison of blood and urine tests did not reveal statistically significant differences between the main and control groups. Comparing the results of the Spielberger-Khanin anxiety test in the parents of children in the main and control groups using the t criterion for unrelated samples revealed a statistically significant difference ($p = 0.042$) in the rate of personal anxiety of mothers.

Table 1

Indicator	Children with recurrent ARI (M±m)	Healthy children (M±m)
Reactive anxiety of the father	35,1±1,4	34,3±1,3
Personal anxiety of the father	38,5±1,5	36,5±0,9
Reactive anxiety of the mother	36,5±1,4	33,9±1,2
Mother's personal anxiety	42,7±1,6	37,6±0,8

Spielberger-Khanin test scores in parents of children in the main and control groups

Higher levels of personal anxiety in mothers of children in the main group may be the result of feelings about their children, contribute to neuroticism, emotional breakdowns and deteriorating family relationships.

Table 2

Type of parental attitude	Children with recurrent ARI	Healthy children
Adoption (father)	9,4±0,3	10,0±0,6
Cooperation (father)	6,8±0,2	6,9±0,2
Symbiosis (father)	4,4±0,3	4,2±0,3
Authoritarianism (father)	3,7±0,2	3,9±0,2
Little loser (father)	1,8±0,2	1,9±0,2
Health Concerns (Parent)	5,0±0,3	4,6±0,2
Adoption (mother)	9,7±0,3	10,3±0,3
Cooperation (mother)	7,3±0,2	7,1±0,2
Symbiosis (mother)	4,3±0,3	2,8±0,2
Authoritarianism (mother)	3,6±0,3	3,7±0,3
Little loser (mother)	3,0±0,2	2,1±0,1
Health concerns (mother)	4,9±0,2	4,5±0,2

Indicators of the test of parental attitude of parents of children of the main and control groups

Statistically significant differences were found in the indicators «symbiosis of mother and child» and «little loser» on the maternal side.

Conclusions. Thus, it can be stated that mothers of children with recurrent ARI have higher rates of reactive anxiety (42.7 vs. 37.6 in the control group), which can be caused by frequent episodes of ARI in children. The model of the relationship between mothers and children from the main group demonstrated the transition to an ineffective parenting style – «symbiosis» and «little loser», which can increase the duration of adaptation and reduce the socialization of children. Further research will include factorial and regression analysis with the expansion of the main group.

References:

1. Chernyshova L. I. Рекуррентные респираторные заболевания у детей: алгоритм действий врача (лекция) // Современная педиатрия. – 2018. – №. 3. – С. 92–97.
2. Lemko O. I., Lukashchuk S. V. Рекуррентные респираторные заболевания в практике семейного врача и педиатра: главные вопросы (обзор литературы) // Запорожский медицинский журнал. – 2019. – №. 6.

3. Fesenko M. Y. et al. Acute respiratory recurrent infections in children // Актуальні проблеми сучасної медицини: Вісник Української медичної стоматологічної академії. – 2019. – Т. 19. – №. 4. – С. 34–38.

4. Thomas M, Koutsothanasis GA, Bomar PA. Upper Respiratory Tract Infection. [Updated 2020 Jun 30]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK532961/>

DOI <https://doi.org/10.30525/978-9934-588-81-5-1.33>

СУЧАСНІ ПРИНЦИПИ РЕСПІРАТОРНОЇ ПІДТРИМКИ ПРИ ТЯЖКІЙ ЧЕРЕПНО-МОЗКОВІЙ ТРАВМІ

Кріштафор Д. А.

кандидат медичних наук,

*асистент кафедри анестезіології, інтенсивної терапії та медицини
невідкладних станів факультету післядипломної освіти
ДЗ «Дніпропетровська медична академія
Міністерства охорони здоров'я України»*

Клигуненко О. М.

доктор медичних наук,

*професор кафедри анестезіології, інтенсивної терапії та медицини
невідкладних станів факультету післядипломної освіти
ДЗ «Дніпропетровська медична академія
Міністерства охорони здоров'я України»*

Кравець О. В.

кандидат медичних наук,

*доцент кафедри анестезіології, інтенсивної терапії та медицини
невідкладних станів факультету післядипломної освіти
ДЗ «Дніпропетровська медична академія
Міністерства охорони здоров'я України»*

Єхалов В. В.

кандидат медичних наук,

*доцент кафедри анестезіології, інтенсивної терапії та медицини
невідкладних станів факультету післядипломної освіти
ДЗ «Дніпропетровська медична академія
Міністерства охорони здоров'я України»*